# **Safety Data Sheet**

Issue Date: 06-May-2021 Revision Date: 11-May-2021 Version 1

## 1. IDENTIFICATION

**Product identifier** 

Product Name Obsess Stainless Steel Cleaner & Polish-Coastal Breeze

Other means of identification

**SDS #** BDC-008

Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaner and polish for stainless steel surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Black Diamond Coatings
6063 Nature Coast Blvd
Brooksville, FL 34602
info@blackdiamondcoatings.com

Emergency telephone number

**Company Phone Number** 800-270-4050

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Semi-opaque liquid Physical state Liquid Odor Mild

#### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	1-5
Cocamidopropyl betaine	61789-40-0	<1.0

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

## Most important symptoms and effects, both acute and delayed

**Symptoms** May cause eye and skin irritation.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	-

## Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

Appearance Semi-opaque liquid Odor Mild

Color Semi-opaque **Odor Threshold** Not determined

Remarks • Method **Property Values** 

pН 6.5-7.5 0 °C / 32 °F Melting point / freezing point Boiling point / boiling range 100 °C / 212 °F Flash point Not determined **Evaporation Rate** Not determined Liquid - Not Applicable

Flammability (Solid, Gas)

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

**Vapor Pressure** Not determined **Vapor Density** Not determined

**Relative Density** 0.996

**Water Solubility** Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined

**Dynamic Viscosity** 13-15 secs #2 Zahn cup

**Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

## **Conditions to Avoid**

Keep out of reach of children.

## **Incompatible materials**

Strong oxidizing agents.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

Inhalation Do not inhale.

Do not ingest. Ingestion

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h
C12-14 alkyl sulfates, sodium salts; C12-14 AS-Na 85586-07-8	> 1000 mg/kg(Rat)	-	-
Cocamidopropyl betaine 61789-40-0	> 10000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	-

## Symptoms related to the physical, chemical and toxicological characteristics

Please see section 4 of this SDS for symptoms. **Symptoms** 

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		X
67-63-0				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**Oral LD50** 77,916.6667 mg/kg **ATEmix (inhalation-dust/mist)** 3,025.00 mg/L

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Isopropyl Alcohol	1000: 72 h Desmodesmus	11130: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50	mg/L LC50 static	EC50
	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	
	subspicatus mg/L EC50	mg/L LC50 flow-through	
		1400000: 96 h Lepomis macrochirus	
		μg/L LC50	
C12-14 alkyl sulfates, sodium salts;		10 - 100: 96 h Brachydanio rerio	2.8: 48 h Daphnia magna mg/L
Č12-14 AS-Na		mg/L LC50 static	EC50
85586-07-8		2.5: 96 h Pimephales promelas	
		mg/L LC50	
Cocamidopropyl betaine	1.0 - 10.0: 72 h Desmodesmus	1.0 - 10.0: 96 h Brachydanio rerio	6.5: 48 h Daphnia magna mg/L
61789-40-0	subspicatus mg/L EC50	mg/L LC50	EC50
		2: 96 h Brachydanio rerio mg/L	
		LC50 semi-static	

# Persistence/Degradability

Not determined.

## **Bioaccumulation**

There is no data for this product.

# **Mobility**

Chemical name	Partition coefficient
Isopropyl Alcohol	0.05
67-63-0	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

Obsess claimes deer cleaner a rousin coastar breeze

14. TRANSPORT INFORMATION

Revision Date: 11-May-2021

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

Chemical name	<b>TSCA</b>	TSCA Inventory	DSL/NDSL	<b>EINECS/ELI</b>	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Isopropyl Alcohol	Χ	ACTIVE	Χ	X	Х	X	Х	Х	X
C12-14 alkyl sulfates,				X		X	Х	X	Х
sodium salts; C12-14 AS-Na									
Cocamidopropyl betaine	Х	ACTIVE	Χ	Х		Χ	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold
			Values %
Isopropyl Alcohol - 67-63-0	67-63-0	1-5	1.0

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
67-63-0			

# 16. OTHER INFORMATION

**Health Hazards** Instability **Special Hazards** NFPA **Flammability** Not determined Not determined Not determined Not determined <u>HMI</u>S **Health Hazards Flammability** Physical hazards **Personal Protection** Not determined Not determined Not determined Not determined

Issue Date: 06-May-2021 **Revision Date:** 11-May-2021 **Revision Note:** New product

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**